

CORRECTION

Open Access



Correction: Exosomes activate hippocampal microglia in atrial fibrillation through long-distance heart–brain communication

Xuwen Wang^{1,2,3,4†}, Yuanjia Ke^{1,2,3†}, Zhen Cao^{1,2,3†}, Yuntao Fu^{1,2,3}, Yanni Cheng^{1,2,3}, Dishuwen Liu^{1,2,3}, Huiyu Chen^{1,2,3}, Kexin Guo^{1,2,3}, Yajia Li^{1,2,3}, Mei Yang^{1,2,3*} and Qingyan Zhao^{1,2,3*}

Correction: BMC Cardiovasc Disord 24, 627 (2024)
<https://doi.org/10.1186/s12872-024-04274-3>

In this article [1], Fig. 1 appeared incorrectly and have now been corrected in the original publication. For completeness and transparency, both correct and incorrect versions are displayed below.

The original article has been corrected.

[†]Xuwen Wang, Yuanjia Ke and Zhen Cao contributed equally to this work and are co-first authors.

The original article can be found online at <https://doi.org/10.1186/s12872-024-04274-3>.

*Correspondence:

Mei Yang
rm002693@whu.edu.cn
Qingyan Zhao
ruyan71@163.com

¹ Department of Cardiology, Renmin Hospital of Wuhan University, 238 Jiefang Road, Wuhan 430060, Hubei, China


² Cardiovascular Research Institute, Wuhan University, Wuhan 430060, Hubei, China

³ Hubei Key Laboratory of Cardiology, Wuhan University, Wuhan 430060, Hubei, China


⁴ Cardiovascular Department, Taihe Hospital, Hubei University of Medicine, Shiyan 442000, Hubei, China



Incorrect Figure 1



Correct Figure 1



Published online: 20 March 2025

Reference

1. Wang X, Ke Y, Cao Z, et al. Exosomes activate hippocampal microglia in atrial fibrillation through long-distance heart–brain communication. *BMC Cardiovasc Disord.* 2024;24:627. <https://doi.org/10.1186/s12872-024-04274-3>.